


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR
PASSENGER VEHICLES & TRUCKS
2008 MODEL YEAR



RED HOLMAN (MiDEAL)

Contract# 071B8200126

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> | <u>PAGE NO</u> |
|-----------------------------|-------------------------------|-----------------------|
| Passenger Vehicle Equipment | Preface | A |
| Truck Equipment | Preface | B-B1 |
| Pre-Delivery Service | Preface | C-C1 |
| Receiving Procedure | Preface | D |

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- ☒ With dealers bid submittal to the State of Michigan
- ☒ With original quote from the dealer to the customer
- ☒ Upon delivery of the vehicle from the dealer to the customer
- ☒ Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

| | |
|--|------------|
| Small, 4-Door Sedan, Auto. Trans. | 3905-0002 |
| Large-Size, 4-Door Sedan, Auto. Trans., F.W.D. | 3905-0003 |
| Alt Fuel - 4-Door Sedan, Auto. Trans. | 3905-0003A |
| Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D. | 3905-0004 |
| Large, Administrator Series, 4 -Door Sedan, Auto. Trans. | 3905-0005 |

STATION WAGONS

| | |
|-----------------------------------|-----------|
| 5-Passenger, Auto. Trans., 4 door | 3905-0017 |
|-----------------------------------|-----------|

Multi Functional Utility Vehicle,

| | |
|--|------------|
| 5 Passenger, 4-Door, Auto. Trans., 4 door | 3905-0018 |
| Alt Fuel - 5 Passenger, Auto. Trans., 4 door | 3905-0018A |
| 6-7 Passenger, 4-Door, Auto. Trans. | 3905-0019 |

TRUCKS, LIGHT DUTY

| | |
|---|------------|
| Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min. | 3958-0020 |
| Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min. | 3958-0023 |
| Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck” | 3958-0025 |
| Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min. | 3958-0026 |
| Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min. | 3958-0026A |
| Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min | 3958-0027 |
| Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min. | 3958-0027A |
| Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min | 3958-0028 |
| Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min | 3958-0028A |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|---|-------------------------------|
| Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min. | 3958-0029 |
| Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min. | 3958-0029D |
| Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min | 3958-0030 |
| Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min. | 3958-0030A |
| Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min. | 3958-0030D |
| Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min | 3958-0031 |
| Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min | 3958-0031D |

VANS, PASSENGER AND UTILITY

| | |
|---|------------|
| Panel Van, Payload - 1,700 lbs., min. | 3958-0032 |
| Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min. | 3905-0034 |
| Sport Van, 8 Passenger, Payload - 1,600 lbs., min. | 3905-0035 |
| Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min. | 3905-0036 |
| Sport-Van, 12-Passenger, Payload - 2,649 lbs., min. | 3905-0037 |
| Panel Van, Payload - 3,100 lbs., min. | 3958-0039 |
| Van, 15-Passenger | 3905-0040 |
| Van, 7 Passenger, Compact, Front Wheel Drive | 3905-0042 |
| Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive | 3905-0042A |
| Van, Cargo, Compact, Front Wheel Drive | 3958-0044 |
| Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive | 3905-0045 |
| Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive | 3905-0045A |

TRUCKS, LIGHT DUTY

| | |
|--|------------|
| Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min. | 3958-0046 |
| Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min. | 3958-0046D |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|--|-------------------------------|
| Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min. | 3958-0047 |
| Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min. | 3958-0047D |
| Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min. | 3958-0048 |
| Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs. | 3958-0048D |
| Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min. | 3958-0049 |
| Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min. | 3958-0049D |
| Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear | 3958-0050 |
| Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear | 3958-0050D |
| Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear | 3958-0051 |
| Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear | 3958-0051D |
| <u>VANS, COMMERCIAL</u> | |
| Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min. | 3905-0057 |
| Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min. | 3905-0058 |
| <u>TRUCKS AND BODIES, MEDIUM DUTY</u> | |
| Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas | 3958-0072 |
| Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel | 3958-0073 |
| Dump Body and Hoist, 2 cu. yd. | 3958-0074 |
| Stake Body, 9 Ft. | 3958-0075 |
| Stake Body and Hydraulic Hoist, 9 Ft. | 3958-0076 |
| Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas | 3958-0077 |
| Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas | 3958-0077D |
| Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel | 3958-0078 |
| Stake Body, 12 Ft. | 3958-0079 |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|---|-------------------------------|
| Stake Body and Hydraulic Hoist, 12 Ft. | 3958-0080 |
| <u>TRUCKS, LIGHT DUTY, 4X4</u> | |
| Utility Vehicle, 4 Door, Payload 900 lbs., min. | 3958-0083 |
| Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min. | 3958-0083A |
| Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min. | 3958-0084 |
| Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min. | 3958-0085 |
| Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min. | 3958-0086 |
| Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min. | 3958-0086A |
| Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min. | 3958-0087 |
| Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min. | 3958-0087A |
| Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min. | 3958-0088 |
| Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min. | 3958-0088D |
| Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min. | 3958-0089 |
| Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min. | 3958-0089D |
| Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min. | 3958-0090 |
| Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min. | 3958-0090A |
| Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min. | 3958-0091 |
| Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min. | 3958-0091A |
| Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min. | 3958-0092 |
| Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min. | 3958-0092D |
| Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals | 3958-0093 |
| Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals | 3958-0093D |
| Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min. | 3905-0094 |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|---|-------------------------------|
| Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min. | 3905-0094A |
| <u>TRUCKS, MEDIUM DUTY, 4X4</u> | |
| Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine | 3958-0096 |
| Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min. | 3958-0098 |
| Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min. | 3958-0099 |
| <u>TRUCK, CUT-AWAY AND VAN BODY</u> | |
| Truck, Cut-Away, 8,900 lbs. G.V.W.R. | 3958-0100 |
| Truck, Cut-Away, 10,000 lbs. G.V.W.R | 3958-0101 |
| Van Body, Cut-Away Aluminum | 3958-0102 |
| Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.) | 3958-0103 |
| Van, Full Body, Aluminum | 3958-0104 |
| Van, Full Body, Fiberglass Reinforced Plastic F.R.P. | 3958-0105 |
| Truck, Cut-Away, 11,000 lbs. G.V.W.R | 3958-0108 |
| Truck, Cut-Away, 14,000 lbs. G.V.W.R | 3958-0109 |
| <u>TRUCKS AND BODIES, HEAVY DUTY</u> | |
| Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas | 3958-0110 |
| Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel | 3958-0111 |
| Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4) | 3958-0112 |
| Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4) | 3958-0113 |
| Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas | 3958-0114 |
| Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel | 3958-0115 |
| Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4) | 3958-0116 |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|---------------------------|-------------------------------|
|---------------------------|-------------------------------|

| | |
|---|-----------|
| Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4) | 3958-0117 |
| Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro | 3958-0134 |
| Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs. | 3958-0135 |
| Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel | 3958-0136 |
| Stake Body, 12 Ft. | 3958-0137 |
| Stake Body and Hydraulic Hoist, 12 Ft. | 3958-0141 |
| Dump Body and Hydraulic Hoist, 5-6 Yd. | 3958-0158 |
| Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP | 3958-0160 |
| Stake Body, 14 Ft. | 3958-0161 |

TRUCKS AND BODIES, HEAVY DUTY

| | |
|--|-----------|
| Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP | 3958-0164 |
| Van Body, 20 Ft., Aluminum | 3958-0165 |
| Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P. | 3958-0167 |
| Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle | 3958-0170 |
| Dump Body and Hydraulic Hoist, 6.5 cu. yd. | 3958-0171 |
| Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle | 3958-0172 |
| Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle | 3958-0173 |
| Dump Body and Hydraulic Hoist, 10-12 cu. yd. | 3958-0174 |

TRACTORS

| | |
|-------------------------------------|-----------|
| 70,000 lbs. G.C.W.R., Diesel Engine | 3958-0178 |
|-------------------------------------|-----------|

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

| <u>DESCRIPTION</u> | <u>MICH. SPEC. NO.</u> |
|--|-------------------------------|
| <u>TAIL GATES</u> | |
| Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type | 3958-0215 |
| Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type | 3958-0216 |
| Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type | 3958-0217 |
| Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type | 3958-0218 |
| Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups) | 3958-0219 |
| Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type | 3958-0220 |
| Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type | 3958-0221 |

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Std. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

| <u>MAKE</u> | <u>W.B.</u> | <u>ENGINE</u> | <u>CYL.</u> |
|------------------------|-------------|---------------|-------------|
| Chevrolet Malibu | 112.3 | 2.4L | 4 |
| Chrysler Sebring Sedan | 108.9 | 2.7L | 6 |
| Dodge Avenger | 108.9 | 2.4L | 4 |
| Ford Fusion | 107.4 | 2.3L | 4 |
| Pontiac G6 | 112.3 | 2.4L | 4 |

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ Air Bag, Dual
- ☒ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☒ Air Conditioning.
- ☒ Anti-freeze protection-to -30°F.
- ☒ Battery-Maximum CCA available.
- ☒ Brakes-Anti Locking System (ABS)
- ☒ Color-Manufacturers Standard Color to be selected.
- ☒ Defroster-Electric, rear window.
- ☒ Floor Mats-Mfg. Std. , front and rear, color coordinated.
- ☒ Glass-Tinted, all around.
- ☒ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

- ☒ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☒ Mirror-Right-hand, outside (factory installed).

STANDARD FACTORY EQUIPMENT CONTINUED

- ☒ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☒ Pre-delivery inspection and servicing.
- ☒ Radio-AM/FM mfg. standard, factory installed.
- ☒ Rear Axle Ratio for maximum mileage in highway driving.
- ☒ Seats; Front, Split Bench or Bucket Type
- ☒ Speed Control, factory installed
- ☒ Steering-Power, Tilt Wheel.
- ☒ Tires, Radial, Manufacturers Standard
- ☒ Upholstery, Seats - Cloth or Cloth and Vinyl.
- ☒ Wipers, Windshield - dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Locks; power with remote
- ☒ Seats-Bucket type, front
- ☒ Traction Control

PRICING SHEET

| | |
|--|----------------------------------|
| <u>PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)</u> 4-Door Sedan -(Automatic Transmission) Mich. Spec. #3905-0004 | |
| Standard Equipped Per above Specification | Standard Equipped Cost |
| Make: Pontiac Model: G6 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00 | \$ 15,063.14 |
| Final Point of Assembly: Lake Orion, MI | |
| <u>Dealer Information</u> | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Bill Martin | |
| Telephone: (734) 721-1144 | |
| Cell: N/A | |
| E-mail: bmartin@redholman.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|----------------------------|-------------|
| 2ZG69 | 2008 Pontiac G6 4dr Sdn G6 | \$19,440.00 |

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

| <u>CATEGORY</u> | <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-----------------|-------------|---|-------------|
| EMISSIONS | FE9 | EMISSIONS, FEDERAL REQUIREMENTS | \$0.00 |
| ENGINE | LE5 | ENGINE, ECOTEC 2.4L 4-CYLINDER MFI, ALUMINUM (164 hp [122.3 kW] @ 6400 rpm, 156 lb-ft of torque [210.6 N-m] @ 5000 rpm) (STD) | \$0.00 |
| TRANSMISSION | MN5 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD) | \$0.00 |
| SEAT TYPE | A51 | SEATS, 45/45 FRONT BUCKET (STD) | \$0.00 |
| SEAT TRIM | _B | EBONY VORTEX CLOTH SEAT TRIM (Available with (FAD) Trim, simulated Walnut Burl accents.) | \$0.00 |
| PAINT TYPE | ___ | SOLID PAINT (STD) | \$0.00 |
| RADIO | | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:22:14 PM

Page 2

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|---------------------------|---|-----------------|
| RADIO | | |
| UBJ | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, Radio Data System (RDS), speed-compensated volume, TheftLock, equalizer, Driver Information Center and auxiliary input jack for iPod/MP3 player (STD) | \$0.00 |
| WHEEL TYPE | | |
| P22 | WHEELS, 17" (43.2 CM) CUSTOM 5-SPOKE, HIGH-VENT (STD) | \$0.00 |
| ADDITIONAL OPTIONS | | |
| AP9 | CARGO NETS, TRUNK (Available separately or included with (PCM) Preferred Package. Requires (B37) front and rear carpeted floor mats.) | \$45.00 |
| B37 | FLOOR MATS, CARPETED FRONT AND REAR (Available separately or included with (PCM) G6 Preferred Package. Requires (AP9) trunk cargo nets.) | \$80.00 |
| B86 | MOLDINGS, BODY-COLOR BODYSIDE | \$100.00 |
| OPTIONS TOTAL | | \$225.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:22:14 PM

Page 3

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

EPA FUEL ECONOMY RATINGS

- City 22/hwy 30 (2.4L engine/4-speed auto trans)
- City 18/hwy 29 (3.5L engine/4-speed auto trans)

EXTERIOR

- Headlamps, halogen composite with reflector optics, automatic exterior lamp control and 20-second delay off feature
- Daytime Running Lamps
- Glass, Solar-Ray light-tinted, heat rejecting
- Mirrors, outside power-adjustable, Satin Black
- Wipers, front intermittent, speed-sensitive, controlled-cycle

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

INTERIOR

- Seats, 45/45 front bucket
- Seat adjuster, driver 4-way manual with power height adjustment and ratcheting lumbar
- Seat, rear 60/40 split-folding
- Console, floor with floor shifter, integral armrest, lighted shift indicator, parking brake and storage compartment
- Steering column, tilt and telescopic
- Steering wheel, 3-spoke
- Instrumentation, analog with speedometer, temperature, fuel, tachometer and trip odometer
- Door locks, power programmable with lockout protection and delayed locking
- Windows, power with driver Express-Down
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands- Free Calling, Accident Assist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Includes rear center-mounted roof antenna.)
- Cruise control, electronic with set and resume speed
- Remote Keyless Entry, extended-range
- Trunk release, power
- Theft-deterrent system, vehicle, PASS-key III+
- Audio system, AM/FM stereo with CD player, seek-and-scan, Radio Data System (RDS), speed-compensated volume, TheftLock, equalizer, Driver Information Center and auxiliary input jack for iPod/MP3 player
- Audio system feature, 6-speaker system
- Air conditioning, single-zone manual
- Defogger, rear-window
- Mirror, inside rearview manual day/night

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

- Visors, driver and front passenger vanity mirrors
- Lighting, interior with illuminated entry and theater dimming
- Map pocket, driver seatback
- Map pocket, front passenger seatback

MECHANICAL

- Engine, ECOTEC 2.4L 4-cylinder MFI, aluminum (164 hp [122.3 kW] @ 6400 rpm, 156 lb-ft of torque [210.6 N-m] @ 5000 rpm)
- Transmission, 4-speed automatic, electronically controlled with overdrive
- Axle, 3.91 ratio
- Traction control, Traction Control System (TCS), full-function
- Front wheel drive
- Suspension, Touring
- Tires, P225/50R17 touring, blackwall
- Wheels, 17" (43.2 cm) custom 5-spoke, high-vent
- Steering, Electric Power Steering (EPS)
- Brakes, 4-wheel antilock, 4-wheel disc, includes Traction Control
- Exhaust outlet, stainless steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc, includes Traction Control
- Air bags, dual-stage frontal and side-impact, driver and right-front passenger and head curtain side-impact, front and rear outboard seating positions with Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, height-adjustable
- Safety belts, 3-point, rear, all seating positions
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- Door locks, rear child security
- Traction control, Traction Control System (TCS), full-function
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 7

Mich. Spec. # 3905-0017
August 2007

STATION WAGON,
5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

| <u>MAKE</u> | <u>W.B.</u> | <u>ENGINE</u> | <u>CYL.</u> |
|-------------------|-------------|---------------|-------------|
| Chevrolet Equinox | 112.5 | 3.4L | V-6 |
| Dodge Magnum | 120.0 | 3.5L | V-6 |
| Ford Edge | 111.2 | 3.5L | V-6 |
| Pontiac Torrent | 112.5 | 3.4L | V-6 |
| Jeep Compass | 103.7 | 2.4L | I-4 |

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ Air Bag, Dual
- ☒ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☒ Air Conditioning.
- ☒ Anti-freeze protection-to -30°F.
- ☒ Battery-Maximum CCA available.
- ☒ Brakes-Anti Locking System (ABS)
- ☒ Color-Manufacturers Standard Color to be selected.
- ☒ Defroster-Electric, rear window.
- ☒ Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
- ☒ Glass-Tinted, all around.
- ☒ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☒ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☒ Mirror-Right-hand, outside (factory installed).
- ☒ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☒ Pre-delivery inspection and servicing.
- ☒ Radio-AM/FM mfg. standard, factory installed.
- ☒ Rear Axle Ratio for maximum mileage in highway driving.
- ☒ Seats; Front, Split Bench or Bucket Type

- ☒ Speed Control, factory installed
 - ☒ Steering-Power, Tilt Wheel.
 - ☒ Tires, Radial, Manufacturers Standard
 - ☒ Upholstery, Seats - Cloth or Cloth and Vinyl.
 - ☒ Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.**

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY
EQUIPPED" and are to be included all on MDOT passenger vehicles.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Locks; power with remote
- ☒ Traction Control

PRICING SHEET

| | |
|--|-------------------------------|
| STATION WAGON, 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0017 | |
| Standard Equipped Per above Specification | Standard Equipped Cost |
| Make: Pontiac Model: Torrent F.O.B. - Dealership Delivery Cost Per Mile \$1.00 | \$18,977.90* |
| Final Point of Assembly: Ingersol, ONT, Canada | |
| Dealer Information | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Bill Martin | |
| Telephone: (734) 721-1144 | |
| Cell: N/A | |
| E-mail: bmartin@redholman.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|------------------------------|-------------|
| 2LF26 | 2008 Pontiac Torrent FWD 4dr | \$22,855.00 |

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

| <u>CATEGORY</u> | <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-----------------|-------------|--|-------------|
| EMISSIONS | FE9 | EMISSIONS, FEDERAL REQUIREMENTS | \$0.00 |
| ENGINE | LNJ | ENGINE, 3.4L V6 (185 hp [138.0 kW] @ 5200 rpm, 210 lb-ft of torque [283.8 N-m] @ 3800 rpm) (STD) | \$0.00 |
| TRANSMISSION | MX0 | TRANSMISSION, 5-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED (STD) | \$0.00 |
| TIRES | QKG | TIRES, P235/65R16 ALL-SEASON, BLACKWALL (STD) | \$0.00 |
| SEAT TRIM | _B | SEAT TRIM, BASE CLOTH | \$0.00 |
| PAINT TYPE | ___ | SOLID PAINT (STD) | \$0.00 |
| RADIO | | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:19:03 PM

Page 2

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

| <u>CATEGORY</u> | | <u>MSRP</u> |
|--------------------|---|-------------|
| <u>Code</u> | <u>Description</u> | |
| RADIO | | |
| US8 | AUDIO SYSTEM, AM/FM STEREO WITH CD/MP3 PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), automatic volume, TheftLock, auxiliary input jack for iPod/MP3 player and 6 speakers (STD) | \$0.00 |
| WHEELS | | |
| PY0 | WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) CAST ALUMINUM, includes spare tire and wheel (STD) | \$0.00 |
| ADDITIONAL OPTIONS | | |
| UE0 | ONSTAR, DELETE. (Requires a Fleet or Government order type.) *CREDIT* | -\$85.00 |
| OPTIONS TOTAL | | -\$85.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:19:03 PM

Page 3

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

EPA FUEL ECONOMY RATINGS

- City 17/hwy 24 (3.4L engine/5-speed auto trans)

EXTERIOR

- Liftgate, rear with glass
- Spoiler, rear
- Luggage rack, roof-mounted, Silver
- Bumpers, front and rear body-color with Charcoal pads
- Moldings, body-color bodyside
- Headlamps, halogen composite with automatic exterior lamp control and flash-to-pass feature
- Fog lamps, front halogen with chrome accents
- Daytime Running Lamps
- Mirrors, outside power-adjustable, body-color, manual-folding
- Wipers, front intermittent
- Wiper, rear intermittent with washer
- Door handles, body-color

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

INTERIOR

- Seats, front bucket, includes driver manual height seat adjuster
- Seat, front passenger flat-folding seatback
- Seats, rear Multi-Flex 60/40 split-bench with 2-position recline
- Seat trim, Base cloth
- Console, center, front with armrest, concealed storage and 2 cup holders
- Console, floor with storage bin and cup holder
- Cup holders, 3 front and 2 rear
- Steering column, tilt
- Steering wheel, urethane 3-spoke
- Instrumentation, electronic with speedometer, fuel level, engine temperature and tachometer
- Driver Information Center, electronic, includes over 20 personalization and vehicle information features including trip odometer, fuel range, outside temperature and compass display
- Warning tones, headlamp on, key-in-ignition and turn signal reminder
- Tire Pressure Monitoring System
- Door locks, power programmable with Remote Keyless Entry
- Windows, power with driver Express-Down and passenger lockout
- Remote Keyless Entry, with 2 transmitters, panic button, content theft alarm, activation verification and illuminated entry
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Cruise control, electronic with set and resume speed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

- Theft-deterrent alarm system, content theft alarm
- Audio system, AM/FM stereo with CD/MP3 player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), automatic volume, TheftLock, auxiliary input jack for iPod/MP3 player and 6 speakers
- Audio system feature, 6-speaker system
- Antenna, roof-mounted combination
- Air conditioning, single-zone manual
- Defogger, rear-window electric
- Air filtration system
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger vanity mirrors
- Lighting, interior with theatre dimming, dual front reading, center-mounted dome and rear cargo area
- Power outlets, 2 auxiliary with covers, 12-volt, includes 1 front and 1 rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

MECHANICAL

- Engine, 3.4L V6 (185 hp [138.0 kW] @ 5200 rpm, 210 lb-ft of torque [283.8 N-m] @ 3800 rpm)
- Transmission, 5-speed automatic, electronically controlled
- Rear axle, 2.48 ratio
- Traction control
- StabiliTrak, vehicle stability enhancement system
- Front wheel drive
- Battery, maintenance-free with rundown protection
- GVWR, 5070 lbs (2300 kg)
- Suspension, Sport, 4-wheel independent, front strut type with coil springs
- Tires, P235/65R16 all-season, blackwall
- Wheels, 4 - 18" x 6.5" (40.6 cm x 16.5 cm) cast aluminum, includes spare tire and wheel
- Steering, power-assist, electric-variable
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, stainless-steel
- Exhaust outlet, stainless-steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

December 13, 2007 2:34:51 PM

Customer File:

Page 7

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, height-adjustable includes pretensioners
- Safety belts, 3-point, rear, all seating positions
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Door locks, rear child security
- Traction control
- StabiliTrak, vehicle stability enhancement system
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 8

Multi-Functional Utility Vehicle, Front Wheel Drive,
5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

| <u>MAKE</u> | <u>W.B.</u> | <u>ENGINE</u> | <u>CYL.</u> |
|---------------|-------------|---------------|-------------|
| Chevrolet HHR | 103.5 | 2.2L | I-4 |
| Ford Escape | 103.1 | 2.3L | I-4 |
| Jeep Liberty | 104.2 | 2.8L | I-4 |
| Jeep Patriot | 103.7 | 2.4L | I-4 |
| Pontiac Vibe | 102.4 | 1.8L | I-4 |
| Dodge Nitro | 108.8 | 3.7L | V-6 |

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ Air Bag, Dual
- ☒ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☒ Air Conditioning.
- ☒ Anti-freeze protection-to -30°F.
- ☒ Battery-Maximum CCA available.
- ☒ Brakes-Anti Locking System (ABS)
- ☒ Color-Manufacturers Standard Color to be selected.
- ☒ Defroster-Electric, rear window.
- ☒ Floor Mats-Mfg. Std. , front and rear, color coordinated.
- ☒ Glass-Tinted, all around.
- ☒ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☒ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☒ Mirror-Right-hand, outside (factory installed).
- ☒ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☒ Pre-delivery inspection and servicing.
- ☒ Radio-AM/FM mfg. standard, factory installed.
- ☒ Rear Axle Ratio for maximum mileage in highway driving.

- ☒ Seats; Front, Split Bench or Bucket Type
- ☒ Speed Control, factory installed
- ☒ Steering-Power, Tilt Wheel.
- ☒ Tires, Radial, Manufacturers Standard
- ☒ Upholstery, Seats - Cloth or Cloth and Vinyl.
- ☒ Wipers, Windshield - dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on all MDOT passenger vehicles.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Locks; power with remote
- ☒ Traction Control

PRICING SHEET

| | |
|--|----------------------------------|
| <u>Multi-Functional Utility Vehicle, Front Wheel Drive</u> 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018 | |
| Standard Equipped Per above Specification | Standard Equipped Cost |
| Make: Pontiac Model: Vibe <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$1.00 | \$16,152.93* |
| Final Point of Assembly: Fremont, CA | |
| <u>Dealer Information</u> | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Bill Martin | |
| Telephone: (734) 721-1144 | |
| Cell: N/A | |
| E-mail: bmartin@redholman.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|------------------------------|-------------|
| 2SL26 | 2009 Pontiac Vibe 4dr HB FWD | W/A |

SELECTED VEHICLE COLORS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

| <u>CATEGORY</u> | <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|---------------------------|-------------|---|-------------|
| EMISSIONS | FE9 | EMISSIONS, FEDERAL REQUIREMENTS | W/A |
| ENGINE | LAX | ENGINE, 2.4L VARIABLE VALVE TIMING INTELLIGENCE 4-CYLINDER, (158 HP [117.8 kW] @ 6000 rpm, 162 lb.-ft. [218.7 N-m] @ 4000 rpm) | W/A |
| TRANSMISSION | MX0 | TRANSMISSION, 5-SPEED AUTOMATIC WITH DRIVER SHIFT CONTROL (Requires 1SB Preferred Equipment Group) | W/A |
| PREFERRED EQUIPMENT GROUP | 1SB | 1SB PREFERRED EQUIPMENT GROUP includes Seat, front passenger flat-folding seatback with rear table surface, (RAE) Rear cargo storage system, (LAX) Engine, 2.4L variable valve timing intelligence 4-cylinder | W/A |
| TIRES | QGF | TIRES, P205/55R16 ALL-SEASON, BLACKWALL (STD) | W/A |
| SEAT TYPE | | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:26:07 PM

Page 2

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

| CATEGORY | | MSRP |
|--------------------|--|------|
| Code | Description | |
| SEAT TYPE | | |
| AR9 | SEATS, FRONT BUCKET WITH CLOTH, includes vertical adjustable outboard head restraints (STD) | W/A |
| SEAT TRIM | | |
| __C | CLOTH SEAT TRIM (STD) | W/A |
| PAINT TYPE | | |
| ___ | SOLID PAINT (STD) | W/A |
| AIR CONDITIONING | | |
| C60 | AIR CONDITIONING, SINGLE-ZONE MANUAL WITH AIR FILTRATION SYSTEM | W/A |
| RADIO | | |
| U1C | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, Radio Data System (RDS), TheftLock and programmable equalizer (STD) | W/A |
| WHEEL TYPE | | |
| QB5 | WHEELS, 16" (40.6 CM) STEEL WITH BOLT-ON WHEEL COVERS (STD) | W/A |
| ADDITIONAL OPTIONS | | |
| C35 | VENTS, REAR HVAC (Included and only available with (C60) single-zone manual air conditioning.) | W/A |
| PCM | PREFERRED PACKAGE, includes (AU0) Remote Keyless Entry, (AU3) power door locks, (A31) power windows, (K34) cruise control and (C13) front and rear variable intermittent wipers (with 1SA Preferred Equipment Group Includes (AU4) power door locks only when (MX0) 4-speed automatic transmission is ordered. Does not include (C13) front and rear variable intermittent wipers.) (with 1SB Preferred Equipment Group Includes (AU4) power door locks only when (MX0) 4-speed automatic transmission is ordered. Includes (C13) front and rear variable intermittent wipers only when (LAX) 2.4L VVT-i, 4-cylinder engine is ordered.) | W/A |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 4:26:07 PM

Page 3

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|--------------------|---|-------------|
| ADDITIONAL OPTIONS | | |
| C13 | WIPERS, FRONT AND REAR INTERMITTENT, VARIABLE WITH WASHER (Included and only available with (PCM) Preferred Package and (LAX) 2.4L VVT-i, 4-cylinder engine.) | W/A |
| RAE | REAR CARGO STORAGE SYSTEM | W/A |
| OPTIONS TOTAL | | W/A |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:26:07 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

EPA FUEL ECONOMY RATINGS

- City 26/hwy 33 (1.8L engine/5-speed manual trans) (2008)
- City 25/hwy 31 (1.8L engine/4-speed auto trans) (2008)

EXTERIOR

- Headlamps, halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps
- Mirrors, outside power-adjustable, body-color
- Glass, Solar-Ray light-tinted
- Wipers, front and rear intermittent with pulse washers and non-variable delay
- Liftgate, rear with glass

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

INTERIOR

- Seats, front bucket with Cloth, includes vertical adjustable outboard head restraints
- Seat, front passenger flat-folding seatback with rear table surface and vertical adjust head restraint (Not available with (LAY) 1.8L VVT-I 4-cylinder engine.)
- Seats, rear 60/40 split-bench, flat-folding with 3 vertical adjust head restraints
- Seat adjuster, driver manual height
- Head restraints, front seats, active and 3-position rear
- Console, floor with storage, cup holders and armrest
- Floor mats, color-keyed carpeted front and rear
- Steering wheel, 3-spoke
- Steering column, rake, adjustable and telescoping
- Instrumentation, analog, includes speedometer, tachometer, trip odometer, engine temperature, fuel gauge, outside temperature display, chrome accented and warning system for front passenger safety belts, ignition key, headlamps on and door ajar
- Tire Pressure Monitoring System
- Windows, manual
- Door locks, front manual
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (if equipped), Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock, Radio Data System (RDS), TheftLock and programmable equalizer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com.)
- Audio system feature, 4-speaker system
- Antenna, roof-mounted
- Heater, outside air with fan (Does not include air conditioning.)
- Vents, rear heat
- Defogger, rear-window electric with front and side window outlets for the driver and front passenger
- Power outlet, 3-prong, household-style on instrument panel, 115-volt, 100-watt, 1-amp
- Mirror, inside rearview, manual day/night with OnStar buttons
- Lighting, interior with cargo area light
- Lighting, interior illuminated entry with delay
- Storage, floor, dual-stage cargo box, floor storage with adjustable partitions, center instrument panel storage and fold-down coin holder, 4 rear cargo tie-downs, front door map pockets with beverage holders, rear beverage holders, oversized glove box with an integrated shelf and rear cargo storage box
- Visors, driver and front passenger vanity mirrors, includes driver's side pamphlet holder
- Assist handles, 2 driver and front passenger and 2 rear outboard with coat hooks

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 7

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

MECHANICAL

- Engine, 1.8L Variable Valve Timing intelligence 4-cylinder, (132 HP [98.4 kW] @ 6000 rpm, 128 lb.-ft. [178.2 N-m] @ 4400 rpm)
- Transmission, 5-speed manual
- StabiliTrak, vehicle stability enhancement system
- Front wheel drive
- Suspension, front independent, rear torsion beam with front and rear stabilizer bar
- Suspension, Ride and Handling
- Tires, P205/55R16 all-season, blackwall
- Wheels, 16" (40.6 cm) steel with bolt-on wheel covers
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, stainless-steel

NOTE

- ****ALL STANDARDS ARE 2009 UNLESS OTHERWISE NOTED****

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 8

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

SAFETY

- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and front passenger, height-adjustable with pretensioners and load limiters
- Safety belts, 3-point, rear, all seating positions with center position lap belt and head restraints
- Door locks, rear child security
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats in the 3 rear seating positions
- StabiliTrak, vehicle stability enhancement system
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 9

Multi-Functional Utility Vehicle
6 – 7 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

| <u>MAKE</u> | <u>W.B.</u> | <u>ENGINE</u> | <u>CYL.</u> |
|-------------------|-------------|---------------|-------------|
| Chrysler Pacifica | 116.3 | 3.5L | V-6 |
| Ford Taurus X | 112.9 | 3.5L | V-6 |
| GMC Acadia | 118.9 | 3.6L | V-6 |

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ Air Bag, Dual
- ☒ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☒ Air Conditioning.
- ☒ Anti-freeze protection-to -30°F.
- ☒ Battery-Maximum CCA available.
- ☒ Brakes-Anti Locking System (ABS)
- ☒ Color-Manufacturers Standard Color to be selected.
- ☒ Defroster-Electric, rear window.
- ☒ Floor Mats-Mfg. Std. , front and rear, color coordinated.
- ☒ Glass-Tinted, all around.
- ☒ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☒ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☒ Mirror-Right-hand, outside (factory installed).
- ☒ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☒ Pre-delivery inspection and servicing.
- ☒ Radio-AM/FM mfg. standard, factory installed.
- ☒ Rear Axle Ratio for maximum mileage in highway driving.
- ☒ Seats; Front, Split Bench or Bucket Type
- ☒ Speed Control, factory installed
- ☒ Steering-Power, Tilt Wheel.

- ☒ Tires, Radial, Manufacturers Standard
 - ☒ Upholstery, Seats - Cloth or Cloth and Vinyl.
 - ☒ Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.**

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on all MDOT passenger vehicles.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Locks; power with remote
- ☒ Traction Control

PRICING SHEET

| | |
|---|-------------------------------|
| <u>Multi-Functional Utility Vehicle</u> 6 – 7 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0019 | |
| Standard Equipped Per above Specification | Standard Equipped Cost |
| Make: GMC Model: Acadia <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00 | \$23,068.00* |
| Final Point of Assembly: Lansing, MI | |
| <u>Dealer Information</u> | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Albert Li | |
| Telephone: (800) 482-3032 | |
| Cell: (734) 637-6643 | |
| E-mail: aclixx@hotmail.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0019

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|------------------------------|-------------|
| TR14526 | 2008 GMC Acadia FWD 4dr SLE1 | \$29,255.00 |

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|----------------------------------|--|-------------|
| EMISSIONS | | |
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS | \$0.00 |
| ENGINE | | |
| LY7 | ENGINE, 3.6L VARIABLE VALVE TIMING V6 MPFI | \$0.00 |
| TRANSMISSION | | |
| MY9 | TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED | \$0.00 |
| PREFERRED EQUIPMENT GROUP | | |
| 3SA | SLE-1 PREFERRED EQUIPMENT GROUP | \$0.00 |
| SEATING ARRANGEMENT | | |
| ABC | SEATING, 8-PASSENGER | \$0.00 |
| SEAT TYPE | | |
| AR9 | DELUXE CLOTH, RECLINING BUCKETS | \$0.00 |
| SEAT TRIM | | |
| _C | SEAT TRIM, PREMIUM CLOTH | \$0.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|---------------------------|---|--------------------|
| PAINT | | |
| — | PAINT, SOLID | \$0.00 |
| RADIO | | |
| US8 | AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, | \$0.00 |
| ADDITIONAL OPTIONS | | |
| U2J | XM SATELLITE RADIO, DELETE | \$0.00 |
| UE0 | ONSTAR, DELETE | -\$85.00 |
| VQ1 | FLEET PROCESSING OPTION | \$0.00 |
| OPTIONS TOTAL | | -\$85.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

EPA FUEL ECONOMY RATINGS

- City 16/hwy 24 (3.6L engine/6-speed auto trans)

EXTERIOR

- Spoiler, rear
- Roof rails, brushed aluminum, longitudinal
- Moldings, body-color bodyside
- Headlamps, dual halogen projector lamp
- Headlamp control, automatic on and off
- Fog lamps, front round halogen
- Daytime Running Lamps
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger-side glass)
- Mirrors, outside heated power-adjustable, Black, manual-folding
- Door handles, chrome (Black beltline molding.)
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Body, manual rear liftgate

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

INTERIOR

- Seating, 8-passenger (2-3-3 seating configuration) (Includes 2nd row 60/40 split flat-folding bench seat)
- Seat trim, Premium Cloth
- Seat, 4-way manual driver with manual lumbar control
- Seat, 2-way manual front passenger
- Console, front center with 2 cup holders and storage
- Console, overhead with map lights
- Cup holders, 2 front on the floor console
- Cup holders, 2 in the second row
- Floor mats, color-keyed carpeted front, second and third row, removable
- Floor covering, color-keyed carpeting
- Insulation, acoustical package
- Steering wheel, vinyl
- Steering wheel, Tilt-Wheel and telescopic with brake/transmission shift interlock
- Instrumentation, 5-gauge
- Tire Pressure Monitoring System
- Windows, power with driver Express-Down
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters and panic button
- Cruise control, electronic with set and resume speed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 4

Prepared By:

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: aclbox@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

- OnStar, 1-year of Directions and Connections plan. Includes the innovative easy to use Turn-by-Turn Navigation services which provide voice-guided directions (where available). Also includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands- Free Calling, AccidentAssist, Remote Horn and Lights, Information and Convenience Services, and Driving Directions (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Turn-by-turn Navigation requires ABS and is not available in certain areas. Visit Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III, engine immobilizer
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 6-speaker system
- Antenna, Quad-Band for AM/FM stereo, OnStar and XM Satellite Radio
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Includes (UUD) XM antenna.)
- Air conditioning, single-zone manual front climate control
- Air conditioning, rear manual
- Defogger, rear-window, electric
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth trim, color-keyed
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Cargo storage, under rear floor

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

MECHANICAL

- Engine, 3.6L Variable Valve Timing V6 MPFI (275 hp [205.1 kW] @ 6600 rpm, 251 lb-ft of torque [338.9 N-m] @ 3200 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive (Included and only available with TR14526 FWD models.)
- Axle, 3.16 ratio
- Front wheel drive
- Alternator, 170 amps
- GVWR, 6411 lbs. (2908 kg) (TR14526 FWD models only.)
- Suspension, Ride and Handling
- StabiliTrak, stability control system
- Tires, P255/65R18 all-season, blackwall
- Tire, compact spare
- Wheels, 4 - 18" x 7.5" (45.7 cm x 19.1 cm) painted aluminum
- Wheel, 17" (43.2 cm) compact aluminum spare
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, double dual with chrome tips

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbox@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the rear side of certain side-impact collisions. Always use safety belts and correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, front passenger air bag suppression (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Door locks, rear child security
- StabiliTrak, stability control system
- Daytime Running Lamps
- Horn, dual-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 7

TRUCK: PICK-UP BODY MIDSIZE
(Approx. 7' Box) (Payload-1,000 lbs., min.)

MODEL-2008 CURRENT NEW

| | <u>FORD RANGER</u> | <u>DODGE DAKOTA</u> | <u>GMC CANYON</u> <u>CHEV COLORADO</u> |
|----------------------------|------------------------|---------------------|---|
| G.V.W.R. (lbs.) | 4,720 | 5,000 | 4,850 |
| Wheelbase (inches) | 117.5 | 112.0 | 111.3 |
| Engine: Gasoline | 3.0L | 3.7L | 3.7L |
| Type & No. of Cylinders | 6 | V-6 | I-5 |
| Net H.P.-S.A.E. | 148 | 210 | 242 |
| Transmission: Automatic | | | |
| Axle, Min. Cap., Rear-lbs. | 2,750 | 3,166 | 2,900 |
| Springs, Cap. at Ground | | | |
| Front-lbs. each | 1,200 | 1,500 | 1,266 |
| Rear-lbs. each | 1,375 | 1,625 | 1,450 |

Cab-Full width rear window.

Tires, Mfg. Standard, radial, tubeless, All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete:** On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-60 amp. min.
- ☒ Axle, rear-limited slip
- ☒ Battery-12, Volt, 475 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

| <u>TRUCK: PICK-UP BODY MIDSIZE</u> (Approx. 7' Box) (Payload-1,000 lbs., min.) Mich. Spec. #3958-0020 | |
|--|--------------------------------------|
| Standard Equipped Per above Specification (Including options as specified above) | Standard Equipped Cost |
| Make: GMC Model: Canyon F.O.B. - Dealership Delivery Cost Per Mile: \$1.00 | \$12,583.00* |
| Final Point of Assembly: Shreveport, LA | |
| <u>Dealer Information</u> | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Albert Li | |
| Telephone: (800) 482-3032 | |
| Cell: (734) 637-6643 | |
| E-mail: aclixx@hotmail.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0020

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|---|-------------|
| TS15403 | 2008 GMC Canyon 2WD Reg Cab 111.2" Work Truck | \$14,650.00 |

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|---------------------------|---|-------------|
| EMISSIONS | | |
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS | \$0.00 |
| ENGINE | | |
| LLR | ENGINE, 3.7L DOHC 5-CYLINDER MFI | \$1,000.00 |
| TRANSMISSION | | |
| M30 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE | \$1,095.00 |
| DIFFERENTIAL | | |
| G80 | DIFFERENTIAL, AUTOMATIC LOCKING REAR | \$295.00 |
| AXLE | | |
| GT4 | REAR AXLE, 3.73 RATIO | \$0.00 |
| PREFERRED EQUIPMENT GROUP | | |
| 1SA | YC1 PREFERRED EQUIPMENT GROUP | \$0.00 |
| SPARE TIRE | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 1

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

CATEGORY

| Code | Description | MSRP |
|--------------------|---|-------------------|
| SPARE TIRE | | |
| ZCE | TIRE, SPARE P205/75R15 ALL-SEASON, BLACKWALL, | \$95.00 |
| SEAT TYPE | | |
| AM6 | SEATS, FRONT 60/40 SPLIT-BENCH WITH VINYL, | \$0.00 |
| SEAT TRIM | | |
| __W | SEAT TRIM, VINYL | \$0.00 |
| PAINT | | |
| __ | PAINT, SOLID | \$0.00 |
| RADIO | | |
| UM7 | AUDIO SYSTEM, AM/FM STEREO | \$0.00 |
| ADDITIONAL OPTIONS | | |
| VQ1 | FLEET PROCESSING OPTION | \$0.00 |
| OPTIONS TOTAL | | \$2,485.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

EPA FUEL ECONOMY RATINGS

- City 18/hwy 24 (2.9L engine/5-speed manual trans)
- City 18/hwy 24 (2.9L engine/4-speed auto trans)
- City 16/hwy 22 (3.7L engine/4-speed auto trans)

EXTERIOR

- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Fascia, front Dark Smoke Gray
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers

- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

INTERIOR

- SL Decor
- Seats, front 60/40 split-bench with vinyl, integral outboard head restraints and dual cup holders (Upgradeable to (92D) Pewter SL Cloth trim)
- Floor covering, full-width rubberized-vinyl (Not available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat on T*15653. Upgradeable to (B30) color-keyed carpeted floor covering)
- Steering wheel, 4-spoke
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Tire Pressure Monitor
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- Audio system, AM/FM stereo with seek-and-scan and digital clock (does not include (UE1) OnStar) (Upgradeable to (US8) AM/FM stereo with CD/MP3 player for Fleet and Government order types only and (UE1) OnStar)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Door trim, integral armrests and driver- and front passenger-side map pockets
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth, includes front passenger vanity mirror
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder MFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm) (Upgradeable to (LLR) 3.7L DOHC 5-cylinder Engine. Not available or included with (YF5) California state emissions or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island and Vermont state emissions on TS15403 2WD models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Not available with (Z71) High Stance Off-Road Suspension Package)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder MFI engine or (Z71) High Stance Off-Road Suspension on 4WD Models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Upgradeable to (M30) 4-speed automatic transmission.)
- Rear wheel drive
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs
- GVWR, 4850 lbs. (2200 kg) (Standard on TS15403 2WD Regular Cab models. Refer to the Engine and Axle section for compatibility requirements)
- Suspension Package, Heavy-Duty
- Suspension, front independent with coil springs (Standard on 2WD models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Tires, P205/75R15 all-season, blackwall (2WD models only)
- Tire, compact spare, located at rear underbody of vehicle (Upgradeable to (ZCE) spare P205/75R15 all-season, blackwall tire on 2WD models and (ZFL) P235/75R15 all-season, blackwall spare tire on 4WD models)
- Wheels, 4 - 15" x 6" (38.1 cm x 15.2 cm) steel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac - GMC ITEM NO(s): Spec 3958-0020
 MAKE OF TRUCK: GMC MODEL: Canyon T515403 GVWR 4850 lbs.
 PAYLOAD: 1464 # W.B. 111.3 " C.A. 34.2 " C.E. TBD
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LLR 3.7L SAE H.P. 242
 FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: Hydraulic 4-spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 1266 lbs. REAR 1450 lbs. AUX. N/A lbs.
 AXLES: FRONT 2533 lbs. REAR 2900 lbs. REAR RATIO 3.73 : 1
 ALTERNATOR: 125 amps. BATTERY 590 cca cca.
 TIRE SIZE: FRONT P205/75R15 PR REAR P205/75R15 PR SINGLE ☒ DUAL ☐ M&S ☐
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCE
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB

(Approx. 6' Box) (Payload-1,260 lbs., min.)

MODEL-2008 CURRENT NEW

| | DODGE DAKOTA ND1L33 | GMC CANYON CHEV. COLORADO | FORD RANGER |
|---------------------------|---------------------------|------------------------------|----------------|
| G.V.W.R. (lbs.) | 5,350 | 5,000 | 4,760 |
| Wheelbase (inches) | 130.9 | 126.0 | 125.9 |
| Engine: Gasoline | 3.7L | 3.7L | 3.0L |
| Type & No. of Cylinders | V-6 | I-5 | V-6 |
| Net H.P.-S.A.E. | 210 | 242 | 148 |
| Transmission: Automatic | | | |
| Axle, Min. Cap. Rear-lbs. | 3,166 | 2,900 | 2,750 |
| Springs, Cap. at Ground | | | |
| Front-lbs. each | 1,500 | 1,267 | 1,200 |
| Rear-lbs. each | 1,625 | 1,450 | 1,300 |

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp. min.
- ☒ Axle, rear-limited slip
- ☒ Battery-12, Volt, 475 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-rear-View inside. Outside R.H. and L. H. below eye level, 34 sq.
- ☒ in. minimum, swing away type. Installed.
- ☒ Seats-Rear
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

| | |
|--|--|
| <u>TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB</u> (Approx. 6' Box) (Payload-1,260 lbs., min.) Mich. Spec. #3958-0023 | |
| Standard Equipped Per above Specification (Including options as specified above) | Standard Equipped Cost |
| Make: GMC Model: Canyon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00 | \$13,928.00* |
| Final Point of Assembly: Shreveport, LA | |
| <u>Dealer Information</u> | |
| Dealer Name: Red Holman Pontiac GMC | |
| Street Address: 35300 Ford Road | |
| City: Westland | State: MI Zip: 48185 |
| Contact Name: Albert Li | |
| Telephone: (800) 482-3032 | |
| Cell: (734) 637-6643 | |
| E-mail: aclixx@hotmail.com | |

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0023

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|-------------|---|-------------|
| TS15653 | 2008 GMC Canyon 2WD Ext Cab 125.9" Work Truck | \$16,725.00 |

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| 92W | Interior: Medium Pewter |
| 50U | Exterior 1: Summit White |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

| <u>CATEGORY</u> | | <u>MSRP</u> |
|---------------------------|---|-------------|
| <u>Code</u> | <u>Description</u> | |
| EMISSIONS | | |
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS | \$0.00 |
| ENGINE | | |
| LLR | ENGINE, 3.7L DOHC 5-CYLINDER MFI | \$1,000.00 |
| TRANSMISSION | | |
| M30 | TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE | \$1,095.00 |
| DIFFERENTIAL | | |
| G80 | DIFFERENTIAL, AUTOMATIC LOCKING REAR | \$295.00 |
| AXLE | | |
| GT4 | REAR AXLE, 3.73 RATIO | \$0.00 |
| PREFERRED EQUIPMENT GROUP | | |
| 1SA | YC1 PREFERRED EQUIPMENT GROUP | \$0.00 |
| SPARE TIRE | | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

CATEGORY

| <u>Code</u> | <u>Description</u> | <u>MSRP</u> |
|--------------------|--|-------------------|
| SPARE TIRE | | |
| ZCE | TIRE, SPARE P205/75R15 ALL-SEASON, BLACKWALL, | \$95.00 |
| SEAT TYPE | | |
| AM6 | SEATS, FRONT 60/40 SPLIT-BENCH WITH VINYL, | \$0.00 |
| SEAT TRIM | | |
| __W | SEAT TRIM, VINYL | \$0.00 |
| PAINT | | |
| __ | PAINT, SOLID | \$0.00 |
| RADIO | | |
| UM7 | AUDIO SYSTEM, AM/FM STEREO | \$0.00 |
| ADDITIONAL OPTIONS | | |
| B30 | FLOOR COVERING, COLOR-KEYED CARPETING | \$115.00 |
| B32 | FLOOR MATS, RUBBERIZED-VINYL FRONT | \$45.00 |
| __ | SAFETY BELTS, 3-POINT, REAR, ALL SEATING POSITIONS | INC |
| AJ2 | SEATS, DRIVER-AND PASSENGER-SIDE, FORWARD-FACING, FLAT-FOLDING REAR, | INC |
| VQ1 | FLEET PROCESSING OPTION | \$0.00 |
| OPTIONS TOTAL | | \$2,645.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

EPA FUEL ECONOMY RATINGS

- City 18/hwy 24 (2.9L engine/5-speed manual trans)
- City 18/hwy 24 (2.9L engine/4-speed auto trans)
- City 16/hwy 22 (3.7L engine/4-speed auto trans)

EXTERIOR

- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Fascia, front Dark Smoke Gray
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers
- Bedliner
- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 26, 2007 10:48:23 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

INTERIOR

- SL Decor
- Seats, front 60/40 split-bench with vinyl, integral outboard head restraints and dual cup holders (Upgradeable to (92D) Pewter SL Cloth trim)
- Floor covering, full-width rubberized-vinyl (Not available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat on T*15653. Upgradeable to (B30) color-keyed carpeted floor covering)
- Steering wheel, 4-spoke
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Tire Pressure Monitor
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- Audio system, AM/FM stereo with seek-and-scan and digital clock (does not include (UE1) OnStar) (Upgradeable to (US8) AM/FM stereo with CD/MP3 player for Fleet and Government order types only and (UE1) OnStar)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Door trim, integral armrests and driver- and front passenger-side map pockets
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth, includes front passenger vanity mirror
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbox@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder MFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm (Upgradeable to (LLR) 3.7L DOHC 5-cylinder Engine. Must Specify)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder MFI engine or (Z71) High Stance Off-Road Suspension on 4WD Models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Upgradeable to (M30) 4-speed automatic transmission.)
- Rear wheel drive
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs
- GVWR, 5000 lbs. (2268 kg) (Standard on TS15653 2WD Extended Cab models. Refer to the Engine and Axle section for compatibility requirements.)
- Suspension Package, Heavy-Duty
- Suspension, front independent with coil springs (Standard on 2WD models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Tires, P205/75R15 all-season, blackwall (2WD models only)
- Tire, compact spare, located at rear underbody of vehicle (Upgradeable to (ZCE) spare P205/75R15 all-season, blackwall tire on 2WD models and (ZFL) P235/75R15 all-season, blackwall spare tire on 4WD models)
- Wheels, 4 - 15" x 6" (38.1 cm x 15.2 cm) steel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0023 ✓
 MAKE OF TRUCK: Gmc ✓ MODEL: Canyon GVWR 5000 lbs. ✓
 PAYLOAD: 1434 # ✓ W.B. 126" ✓ C.A. 34.20" C.E. TBD
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LLR, 3.7L ✓ SAE H.P. 242 ✓
 FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: Hydraulic 4-spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 1267.5 lbs. REAR 1450 lbs. AUX. N/A lbs.
 AXLES: FRONT 2533 lbs. REAR 2900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 590 ✓ cca.
 TIRE SIZE: FRONT P205/75R15 PR REAR P205/75R15 PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCE
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.